# BEHRENS METALWARE



No. 531

# Goreword\_

This catalog presents our normal complete line Sheet Metal goods. But for the present and for some time to come there are certain items and numbers shown and listed that are discontinued indefinitely, hence not yet available and not in sight.

Before writing or submitting your order, refer to Stock Sheet—Price List accompanying this catalog and order goods and numbers only as listed available.

Preserve this catalog for future reference. New stock sheet—price lists will be issued from time to time as conditions warrant.


H. BEHRENS MFG. CO.

## America's Most Popular Little Milk Pail

# The Original--

# Miniature Dairy Pail

(MULTI-PURPOSE BUCKET)



REPLICA of Large Milk Pail. Sturdy construction. Made from Bright Tin Plate; Heavy Wire support rolled into top edge; Riveted bail Ears; Seams soldered leak proof.

SIZE:  $4\frac{1}{2}$ " dia. Bottom x  $6\frac{1}{8}$ " Top x  $5\frac{1}{8}$ " High. Capacity  $3\frac{1}{2}$  Pts.

#### NO. 100 MINIATURE DAIRY PAIL

DEALERS NOTE — This popular little bucket makes an excellent advertising novelty. In lots of one-gross or more available with dealer's Name and Address in large 5/16" lettering permanently embossed into the side of the pail at small additional cost.

# Behrens Reliable Tin Dairy Pails

POPULAR PRICED

Heavy riveted ears. Inside seams and rivet heads thoroughly soldered. For the price these pails are unexcelled in quality.

## Tinned Heavy Plain Bail

#### FULL WT. IX BRIGHT TIN PLATE

No. 110-10 Qt. 8½" bottom, 9" high, 11" top. Shipping wt. per doz., 30 lbs. Price per dozen.....

No. 121—12 Qt. (actual 13 Qt.) Shipping wt. per doz., 35 lbs. Price per dozen.....

No. 141—14 Qt. (actual 15½ qt.) Shipping wt. per doz., 42 lbs. Price per dozen......

#### PACKED 1 DOZEN





# Tall Swiss Pattern Dairy Pails

## Tinned Heavy Plain Bail

FULL WT. IX BRIGHT TIN PLATE

No. 131-13 Qt. 8½" bottom, 11" high, 11" top. Snipping wt. per doz., 35 lbs. Price per dozen.....

No. 161-16 Qt. (actual 17 qt.). 834" bottom, 13" high, 12" top. Shipping wt. per doz., 43 lbs. Price per dozen

#### NOT ILLUSTRATED

# Extra Large High Grade Charcoal Bright Tin Pail

This large 22-quart pail popular for use by dairy inspectors and milk checkers.

EXTRA HEAVY IXXXX CHARCOAL BRIGHT PLATE

Plain Bail, Riveted Ears. Size: 103/8" bottom, 13" high, 13" top. No. 5522—22 Qt. Price per dozen.....

Same, Full Sanitary Soldered-

No. S5522S-22 Qt. Price per dozen...

# Behrens Reliable Tin Dairy Pails

(RIVETLESS WIRE EAR)



## Tinned Heavy Plain Bail

Made from best quality Bright Tin Plate. Full Wt. IXX sides, with heavy IXXX bottom. A good heavy weight pail at popular prices.

Trade	Actual Capacity	Approx. Shipping Wt. Dz.	Net Price Per Ds.
No. 122—12 Qt.	(13 Qt.)	43 lbs.	
No. 142—14 Qt.	(15½ Qt.)	45 lbs.	

#### Swiss Pattern

No. 132—13 Qt.	(13 Qt.)	43 lbs.
No. 162—16 Qt.	(17 Qt.)	47 lbs.

## Semi-Sanitary Soldered

(Soldered outside around top ring and ears)

Trade	Actual Capacity	Approx. Shipping Wt. Dz.	Net Price Per Dz.
No. 122S-12 Qt.	(13 Qt.)	44 lbs.	
No. 142S-14 Ot.	(15½ Ot.)	46 lbs.	

#### Swiss Pattern

No.	132S-13 Qt.	(13 Qt.)	44 lbs.
No.	162S-16 Ot.	(17 Ot.)	48 lbs.

## Sanitary Soldered

(Full Sanitary Soldered inside and outside)

Trade	Actual Capacity	Approx. Shipping Wt. Dz.	Net Price Per Ds
No. S122S-12 Qt.	(13 Qt.)	44 lbs.	
No. S142S-14 Qt.	(15½ Qt.)	46 lbs.	

#### Swiss Pattern

No. S132S-13 Qt.	(13 Qt.)	44 lbs.
No. S162S-16 Qt.	(17 Qt.)	48 lbs.

# Junior Dairy Pail and Calf Feeder

#### FULL WEIGHT HEAVY IXX BRIGHT TIN PLATE

No. 81-8 Qt.	1 doz. cs@
	Size 10½" top x 7¾" high
	Shipping weight dozen 30 lbs.

#### SAME—Full Sanitary Soldered

No. S81S—8 Qt. 1 doz. cs. .....@



# Behrens High Grade Sanitary Dairy Pails

(RIVETLESS WIRE EARS)



## Tinned Heavy Plain Bail

Made from best quality Charcoal Bright Tin Plate. All seams soldered Sanitary inside and outside. The wire ear feature, with ears extending well beyond the top ring, makes this pail easy and comfortable to hold when used for hand milking.

FULL WT. HEAVY IXXX CHARCOAL BRIGHT TIN FULL SANITARY SOLDERED

No. S412S—12 Qt. (actual 13 Qt.) Price per dozen......... Shipping weight per doz., 47 lbs.

No. S414S-14 Qt. (actual 15 1/2 Qt.) Price per dozen.....

Shipping weight per doz., 50 lbs.

(Packed 1 dozen in crate.) (Packed ½ dozen in case.)

# Swiss Pattern Pails

FULL WT. IXXX CHARCOAL BRIGHT TIN FULL SANITARY SOLDERED

No. S416S—16 Qt. (actual 17 Qt.) Price per dozen...... Shipping weight per doz., 55 lbs.

> (Packed 1 dozen in crate.) (Packed ½ dozen in case.)



# Superior Seamless Weld Pail



#### SANITARY—HEAVY, RETINNED AFTER FORMING

WITHOUT SIDE HANDLE

Ship. Wt.
Per Doz.

No. 8112—12 Qt.

64 lbs.

4 doz. Cs.
68 lbs.
4 doz. Cs.

# **Hooded Sanitary Milking Pails**

(RIVETLESS WIRE EARS)



#### All Seams Sanitary Soldered Inside and Outside.

Regularly furnished with opening approximately 10½x 5¾ inches. Can be supplied with 8½x5½ inch opening when required. Unless otherwise specified pails with regular opening will be furnished.

#### FULL WT. HEAVY IXXX CHARCOAL BRIGHT TIN,

No. 912—12 Qt. (actual 13 Qt.) Price per dozen...... Shipping weight per doz., 80 lbs. No. 914—14 Qt. (actual 15½ qt.) Price per dozen.... Shipping weight per doz., 85 lbs.

#### Swiss Pattern

# Superior Seamless Weld Milking Pail

Sanitary Hooded Milking Pail. Heavy retinned after forming. No. 9114—14 Qt. Each in Cs.

Ship. Wt. per doz. 80 lbs.





## Strainer Pail

As illustrated but equipped with sanitary plain tinned wire bail.

Fine mesh brass strainer soldered into square lip—strainer screen can be removed and replaced if required. Semi-Sanitary soldered pail.

#### FULL WT. IXX BRIGHT PLATE

No. 1742S—14 Qt. (actual 15½ Qts.) ¼ doz. Crt.

No. 1722S-12 Qt. (actual 13 Qts.) 1/4 doz. Crt.

# Milk Shipping Cans

TIGER PATTERN. Medium Weight for farm and local use. Pressed Steel open top Sanitary Handles. Sanitary Plug Covers.

Stock No.	Capacity Size	NECK Size	$egin{array}{c}  ext{Ave} \  ext{Wt}. \end{array}$	24 OR LESS	25 or More	300 or More
3105	5 gal.	61/8"	12 lbs.			
2208	8 gal.	71/4"	$20\frac{1}{2}$ lbs.			
2210	10 gal.	71/4"	$22\frac{1}{2}$ lbs.			





# Heavy Tin Milk Kettles

(With Bail)

Equipped with tight fitting seamless cover. Seamless one-piece neck and breast. Riveted ears, heavy wire bail.

breast. K	iveted e	ars, nea	vy wire ba		Wm	Cs. Lot	I ree Ce
	Size	NECK	$H_{\text{E} \text{GHT}}$			PER Doz.	
No. H-2	2 Qt.	$3\frac{1}{2}''$	71/8"	$\frac{1}{2}$ Doz.	17 lbs.		
No. H-4	4 Qt.	$4\frac{1}{2}^{\prime\prime}$	$8\frac{3}{8}^{\prime\prime}$	$\frac{1}{2}$ Doz.	32 lbs.		
No. H-8	8 Qt.	$5\frac{1}{2}^{\prime\prime}$	$10\frac{3}{4}^{\prime\prime}$	$\frac{1}{2}$ Doz.	48 lbs.		
No. H-12	12 Qt.	6 ′′	$12\frac{1}{8}^{\prime\prime}$	$\frac{1}{4}$ Doz.	64 lbs.		
No. H-20	20 Qt.	$6\frac{1}{2}''$	$15\frac{1}{2}''$	$\frac{1}{4}$ Doz.	92 lbs.		

## Tin Milk Strainer



A High Grade Pieced Tin Strainer. Joints are double seamed and soldered. Made from best quality Bright Tin Plate. Brass strainer can be removed and replaced if desired. Extra ring on foot to hold cloth if used.

#### IXX QUALITY BRIGHT TIN

NET

TOP HIGH NECK PER DOZ.

No. 408— 8 Qt. 1014" 914" 414"

#### Cream Strainer-Fly Guard



#### Made from Bright Tin Plate Brass Screen in bottom

Designed for use between Separator and Cream receiver can. Prevents flies and insects from entering cream. Fits regular Cream Setter Can; can also be used on 7½" neck shipping can. 9½" Dia. x 1½" deep.

NET PER DOZ.

No. 90—Cream Can Fly Guard....

(2 dozen in case)

Weight per case 11 lbs.

## Seamless Filter Strainers



## Baffle Cup Filter Strainer

Seamless easily sterilized, fast filtering strainer, for 6½ inch disk. The Baffle Cup protects the disk against washing, channeling, and breakage. The disk is tightly compressed between the cup and strainer neck to form a gasket which prevents milk from by-passing.

J F	
	Per Do
No. 610—10 Qt.	½ doz. in Cs
No. 612—12 Qt.	½ doz. in Cs
No. 718—18 Qt.	½ doz. in Cs
SAME AS ABOV	E
No. 718HH—18 (	Qt. 1/3 doz. in Cs
With High	Handle Dome Baffle Cup
Replacement Ba	ffle Cups—
With Low Hand	dle Dome
With High Han	dle Dome



#### SEAMLESS-RETINNED

Sanitary and Easy to Clean With Perforated Bottom.  $5\frac{5}{8}8''$  Inside Dia. Strainer Cup.

No. 510-10 Qt. 1/2 doz. in Cs.

Replacement Parts for No. 510 Strainer

EACH
Convex Perforated Tinned Steel Disk only......
Spring Wire Clip only.....



# RAPID-FLO FILTER DISKS

#### New Sanitary Factory-Sealed Carton

Factory-Sealed for extra protection of Rapid-Flo disks from factory to farmer. Easy to open—and the protective flap is easy to close to keep dust and dirt out. Packed 100 disks to the box.

PLAIN—BONDED FACE	DISKS IN CARTON	CARTS. IN CASE	Less Case Lot per Cart	1 to 9 Cs. PER CART.	10 Cs. PER CART.
6 in.	100	36	PER CARI		
$6\frac{1}{2}$ in.	100	36			
SINGLE GAUZE FACED					
6 in. S/F	100	36			
$6\frac{1}{2}$ in. S/F	100	36			
7 in. S/F	100	36			

# Calf Feeder Pail with Nipple

THE MODERN, NATURAL WAY TO START CALVES RIGHT



#### The Original—

#### COYNER FEEDER PAIL W/NIPPLE

Sturdy Galvanized Pail. Simple construction, easy to assemble and keep clean.

To assemble insert nipple in pail from inside by folding end of nipple and pulling through.

NET PER DOZ.

#### COYNER CALF FEEDER PAIL

Complete with Nipple and Valve

½ dozen in case.....

(Approximate shipping weight, case, 22 lbs.)

#### REPLACEMENT PARTS-

EXTRA NIPPLES ONLY

Any Quantity.....

EXTRA NIPPLE VALVE ONLY

Any Quantity....

EXTRA NIPPLE RING ONLY

Any Quantity.

EXTRA NIPPLE ASSEMBLY complete

with Valve and Ring

Any Quantity..



## **CALFeeder**

Sturdy Hot-Dipped Galvanized Pail with heavy 16 Ga. Steel Hanging Bracket. Nipple assembly made of solid brass fittings. White pure rubber nipple, with Ball Check-Valve.

NET PER DO

No. 12MC-12 Qt. Pail, 1/4 doz. in bdle.....

No. 8MC- 8 Qt. Pail, 1/4 doz. in bdle.....

(12 Qt. Weight per doz., 40 lbs.)

#### REPLACEMENT PARTS-

EXTRA NIPPLE ASSEMBLY complete with Valve

Any Quantity.....

EXTRA NIPPLE ONLY

Any Quantity.....

#### IMPORTANT—

In ordering extra nipples or parts for the above feeder pails it is important to specify the make or type pail for which the part is wanted. Parts will fit only the make pail for which they are intended.

## Welded Stirring Rods

The Rod and bowl joint will never work loose or break out. Both rod and bowl are threaded, screwed together and then end of rod is riveted to prevent loosening. Entire rod is tinned after assembling so joints are sanitary sealed with tin.

#### LIPPED PATTERN



26" handle, 5½" bowl
No. 811—Solid Bowl, Lipped Per doz......

#### PERFORATED PATTERN



26" handle, 5½" bowl
No. 810—Perforated Bowl Per doz .....



## Heavy Calf Pails

Hot Galvanized After Forming

Riveted Ears. Heavy Top Wire; Heavy strong wire bail. Size—10½" top x 8¾" bottom x 7¾" high.

WT. Doz.

PER Doz.

No. 181—8 Qt.

24 lbs.

(1 dozen in bundle)



## Heavy Water Pails

(RIVETED EARS)

Galvanized Wire Bail With Wood Handle
Hot Galvanized After Forming

No. 1312—12 Qt. Per doz. Weight per doz., 41 lbs.

No. 1314—14 Qt. Per doz. Weight per doz., 44 lbs.

(1 dozen in Bundle)



# IMPROVED Water Pails

Hot Galvanized After Forming
Swedged Body; swedged bottom; riveted—not spot
welded — Anti-Wedge Ears Heavier top wire, and
strong wire bail.

strong wi	c oan.	APPROX. WT.	PER
	TRADE	Dozen	Doz.
No. 1208	8 Ot.	20 lbs.	
No. 1210	10 Ot	23 lbs.	
No. 1212	12 Ot.	25 lbs.	
No. 1214	14 Qt.	29 lbs.	
No. 1216	16 <b>Q</b> t.	31 lbs.	
	/1	: Ldla\	



## Heavy Stock Pails

(FLARING PATTERN)

Heavy Galvanized Iron Bail. Four-Rivet Heavy Butterfly Ears.

Hot Galvanized After Forming

No. 1514—14 Qt. Per doz. Weight per doz., 45 lbs.

Top 12½", Bottom 9¼", High 10¾"

No. 1516—16 Qt. Per doz. 48 lbs.

Top 12½", Bottom 9½", High 11"

No. 1522—22 Qt. Per doz. 66 lbs.

Top 13½", Bottom 11½", High 12¾"



(½ dozen in bundle)

## Cement and Mortar Pails

HOT GALVANIZED AFTER FORMING
Heavy Galvanized Iron Bail. Four Rivet Heavy
Malleable Forked Ears. Reinforced Bottom.


#### Household Mop Bucket



With foot-operated wringer, permanently attached to bucket. Wood rolls set high—will not restrict water capacity of bucket.

PER Doz.

No. 412W—12 Qt. 1/3 doz. in Cs. Size: 111/8" diameter x 10" high. Shipping wt. doz. 67 lbs.



#### **Nestable Twin Pails**

TWO 8 QT. PAILS, DETACHABLE, HAVING INDIVIDUAL BAILS AS WELL AS A JOINT WELDED HANDLE

Dirty water may be emptied from one pail without disturbing the water in the other, eliminating the awkward disposal of soiled water in permanently PER Doz. joined pails.

No. T88—Twin Pails 1/4 doz. Units in Bdle. Weight per bdle., 11 lbs.



#### Oval Foot Tubs

Hot Galvanized after forming, Steel Drop Handles, Riveted anti-wedge ears.

SIZE INCHES WT. Doz. PER Doz. No. 260—18<sup>3</sup>/<sub>4</sub>x14<sup>1</sup>/<sub>2</sub>x7<sup>1</sup>/<sub>2</sub> 38 ll (½ dozen in bundle) 38 lbs.



## Heavy Standard Wash Tubs

HOT GALVANIZED AFTER FORMING

Double seamed corrugated bottom; body reinforced by horizontal anti-wedge swedge. Heavy steel hoop rolled in top. Drop Handles. Without wringer attachments.

	SIZE	Wт. Doz.	PER Doz.
No. 0—1814'			
	' x 10½" high x 10¾" high		
No. 3—24"	x 10¾" high		
	(1/2 Doz. ir	hundle)	



## Square Wash Tubs

HOT GALVANIZED AFTER FORMING

	Size Inches	Wt. Doz.	PER Doz.
No. 41—19	x 19 x 10½	76 lbs.	
No. 42-20	1/2 x 20 1/2 x 11	87 lbs.	
No. 43-22	$\frac{1}{2} \times 22\frac{1}{2} \times 11\frac{1}{4}$	101 lbs.	
	(1/2 Doz. in b	oundle)	



#### Scrub Tub

HAND DIPPED IN PURE MOLTEN ZINC AFTER FORMING Suitable for Foot Tub, Sink Tub, Stock Water or Feed Pail, Utility Wash Tub.

WT. Doz. PER DOZ. No. 4-1 Doz. in bundle.... 32 lbs. Size 141/2" Top x 111/4" Bottom x 81/8" High. Capacity 4 Gallons.

# Self - Drain Laundry Tub Sets

Equipped with No. 2 size Square Galvanized Tubs. Hot Galvanized after forming. Heavy Duty Metal Stands, bright Aluminum finish, mounted on heavy duty easy-roll casters. Tubs supplied with non-rust metal faucet drain valve with standard thread, to which standard hose coupling can be attached if desired. Two soap trays between the tubs on the Double Unit stand.



SINGLE

No. 2RS—Single. Each in case......... Shipping Wt. 17 lbs.



BELOW-

Same as above but equipped with standard Hose Drain without shut-off valve. Hose end equipped with solid Die-Cast Hook which also serves as a shoe when draining.





DOUBLE

No. H 2RD—Double. Each in case.....

Shipping Wt. 29 lbs.

#### **DUB-L-TUB**

Giant size double tub. Hundreds of uses. Used on the farm, in the home, in the mill or factory—wherever a large tub or container is needed.



Deep swedges to strengthen the sides and special stamped bottom for extra reinforcement. Hot-dipped galvanized.

No. 33—Dub-L-Tub. 1/4 doz. in bdle.....

Wt. per doz. 186 lbs.
Inside Top 22" x 42" Bottom 18" x 36" Over-all Height 11"
Capacity 30 Gals.

# Wash Boilers

Large roomy handles; Seamless Top Domed Cover; Heavy 3/8 inch steel support rod rolled into top edge. Bottom double seamed to sides, all seams thoroughly soldered.

DIMENSIONS—	Length	Wide	High
Standard No. 9-Trade 13 Gal.	223/4′′	$12\frac{1}{2}''$	127/8"
Large No. 9—Trade 15 Gal.	$24\frac{1}{2}''$	133/8"	127/8"



#### The Handle:

Note rivet extends all the way through wood—not just tacked at ends. No danger of dropping filled boiler if wood should happen to split or break while carrying.



# Copper Boilers

#### SOLID COPPER—TINNED INSIDE—BRIGHT TIN COVER

	TRADE	AVERAGE NET WT. EACH	APPROX. SHIP. WT. CRTD. DOZEN	NET
No. 829	13 Gal.	9½ lbs.	160 lbs	
No. 921	15 Gal.	101/4 lbs.	170 lbs	
	HEAVY (	COPPER—T	INNED INSIDE—TIN COV	ER
No. 941	15 Gal.	11¼ lbs.	180 lbs	

PACKED—½ doz. &/or ¼ doz. in wood crate. Also available packed 1-in Cart.

# Wash Boilers



# Tin Boilers—Copper Bottom

IXX CHARCOAL PLATE BRIGHT TIN SIDES—HEAVY COPPER BOTTOM

NET PER DOZ.

PER Doz.

No. 299-Trade 15 Gal.....

Approximate Crtd. Shipping Wt. per doz. 180 lbs.

(NOT ILLUSTRATED)

# Heavy Galvanized Boilers

Made from Tight Coat Smooth Galvanized Sheets non-wrapped, w/Bright Tin Cover. Otherwise size and specifications as Copper and Tin Boilers.

Approx. Ship. Wt. Crtd.

Doz.

175 lbs.

No. 809 No. 909

Trade 13 Gal. 15 Gal.

185 lbs.

PACKED: ½ doz. &/or ¼ doz. in wood Crate. Also available 1-in Cart.

#### Galvanized Steel Baskets



#### Double Bottom — Heavy Rope Handles

HOT-DIP GALVANIZED After Forming

	AVE. WT.	
	Doz.	PER DOZ.
No. 321— 1 Bu	81 lbs.	
No. 481—1½ Bu	94 lbs.	
No. 641— 2 Bu	117 lbs.	
(½ dozen in	bundle)	
Same as above but equipped easy grip, steel drop handles—	d with Tubu	ılar smooth,
No. 321-S/H— 1 Bu		
No. 481-S/H-1½ Bu		
No. 641-S/H— 2 Bu		
(½ dozen in		

## **Utility Steel Baskets**



#### Seamless Corrugated Bottom Iron Drop Handles

Rust resisting Hot Galvanized after being made up.
WT. Doz. PER Doz.

			WT. DOZ.
No.	032 - 1	Bu	56 lbs.
No.	048-11/9	Bu	80 lbs.
	4 / 2	(½ dozen in b	undle)

#### Dry or Feed Measure



#### Half Bushel

Graduated to show 4, 8, 12 quarts. Nestable. Hot Dipped Galvanized after forming. Size  $13'' \times 10\frac{1}{8}''$ .

No. 2616-16 Qt. (1/2 Bu.) 1/2 doz. in bdle.

Approx. shipping weight, doz. 42 lbs.



## Seamless Stock Pan

No Seams—No Solder—Strong—Rigid Smooth Hot-Galvanized after forming.

16" dia. x 3¾" deep.

No. 4216-Nested 1 doz. in bdle.


(Shipped in full bundle lots only)

Approx. Wt. doz. 33 lbs.

## Seamless Feeding Trough

HOT GALVANIZED AFTER FORMING. Sanitary—Strong—Rigid—No Seams—Easy To Clean—Cannot be injured by Freezing.

Supplied with two  $1\frac{1}{4}$ " x  $\frac{1}{4}$ " japanned cross bars, which when snapped into place, definitely stop hogs from lying in trough.



NET PER DOZ.

(Wt. per dozen 177 lbs.) Shipped in full bundle lots only



## Poultry Waterers

Made from smooth, tight coated Galvanized Sheet Iron. Strong riveted ears, with heavy wire bail with wood handle.

TRADE SIZE	NET PER DOZ
No. 902—2 gallon ½ doz. in case Shipping Wt. Doz., 40 lb	s.
No. 903—3 gallon ½ doz. in case Shipping Wt. Doz., 50 lb	S.

# Roofing Caps Tin or Galvanized



Size—1¼" Diameter.
PACKED—Bulk Price Per Lb.....

## Extra Heavy Tin Bread Raisers



Extra heavy IXXXX retinned. Extra Heavy Forged Steel four-rivet Handles. Retinned ventilated Cover.

Cover.		CASE LO
TRADE	DIMENSIONS	PER Doz
No. 414—14 Qt.	17¼" x 5" deep	
No. 417—17 Qt.	18½" x 6" deep	
No. 421—21 Qt.	20½" x 6¼" deep	

(1/4 dozen in Case)



#### **Dust Pans**

#### HEAVY GALVANIZED IRON

Made from smooth, tight coated Galvanized Sheets. Turned front edge. Wired sides and back. Handle riveted and soldered.

#### DOMESTIC SIZE, COVERED BACK

No. 160—12½"x7¾" Net per doz.....

JANITOR SIZE, OPEN TOP

No. 16—16½"x11½" Net per doz.....

#### Heavy Tin Laundry or Suds Dippers

(Short Handles)



#### Heavy IXX Bright Tin.

#### Tin Dish Pans



Heavy retinned after forming. Roll Rim.

		SHIPPING	CASE LOT
Trade	CASE	$W_T.Doz.$	PER Doz.
No. 4214-14 Q	t. ½ doz.	33 lbs.	
No. 4217—17 Q	t. $\frac{1}{2}$ doz.	38 lbs.	
No. 4221—21 Q	t $\frac{1}{2}$ doz.	45 lbs.	

# Ash and Garbage Cans



Deep vertical corrugations; heavy wired top rim; heavy drop handles. Straight side, nestable to handles.

#### Made of Galvanized Sheets-Plain Cover

#### Hot Galvanized After Forming

No. 1315	15 Gal.	16 x 22½	120 lbs.
No. 1321	21 Gal.	$17\frac{1}{2} \times 25\frac{1}{2}$	144 lbs.
No. 1326	26 Gal.	$19\frac{1}{2} \times 25\frac{1}{2}$	175 lbs.
No 1331	31 Col	21 - 2516	195 lbe

(Shipped Nested 1/4 dozen in bundle)



#### Galvanized Iron Coal Hods

HEAVY HOT GALVANIZED AFTER FORMING. Rigid Corrugated body, securely seamed raised bottom. Riveted—not spot welded—Ears and Back Handle. Red Half-oval bail.

SIZE CAP. WT. DOZ. PER DOZ. No. 617H—17 inch 12 Qt. 37 lbs. No. 618H—18 inch 16 Qt. 40 lbs.

(Nested ½ dozen in bundle.)



#### Garbage Pails

Raised concave bottom, deep vertical body corrugations. Deep seamless snug-fitting automatic self-locking cover. Hot-Dipped Galvanized after Forming.

No. 2406—6 Gal. ½ doz. in bdle. Wt. per doz., 65 lbs.

No. 2410—10 Gal. ½ doz. in bdle. Wt per doz., 86 lbs.

#### Made of Galvanized Sheets Plain Cover — Lock Bail

Net
Size Wt. Doz. Per Doz.
No. 6110 10 Gal. 14x17" 70 lbs.
(½ dozen in bundle)



## Galvanized Iron Sprinklers

Hot Galvanized after being made. Fitted with removable Sprinkler Rose.

$\mathbf{T}_{\mathtt{RADE}}$	SHIPPING WT. Doz.	Case	Case Lot Per Doz.
No. 616— 6 Qts.	29 lbs.	½ dozen	
No. 618— 8 Qts.	35 lbs.	½ dozen	
No. 620-10 Qts.	41 lbs.	1/3 dozen	
No. 622-12 Qts.	49 lbs.	1/3 dozen	
No. 626-16 Qts.	60 lbs.	1/4 dozen	
(Ship	ped in case	lots only)	



# Bake-King

## KING OF BAKEWARE

- Designed for Better Baking.
- Priced for Modern Kitchen Economy. No Higher than plain tinware.



#### Heavy Tin Bread Pans

No. Size	PER DOZ.
BK11—9x5x2¾"	
BK22—9¾x5¾x2¾″	
BK33—10 <sup>3</sup> / <sub>4</sub> x6 <sup>3</sup> / <sub>4</sub> x2 <sup>3</sup> / <sub>4</sub> "	
BK44—Long Loaf 13x4½x2½"	

## Ready-Mix Cake Pans

These pans meet exact specifications shown on package of the Nationally Advertised Packaged Cake Mixes.





No. BK2108K—W/Cutter 8" x 1½"...... (3 dozen in case) Weight per doz. 3½ lbs.





## Biscuit Pans - Square

_		
No.	Size	Per Doz.
BK120-	-9x9x1½"	

## Deep Flaring Pie Tins

	Z C P		D
No.	Size	PER	Doz.
BK10	$-10x1\frac{3}{8}$ "		



#### E. Z. Out Mt. Cake Pan

· L'.	L. Out	T. Tr.	Cane		The same of
No.	Size			$\mathbf{P}_{\mathbf{E}\mathbf{R}}$	~ ~~.
BK2109-	$-9x1\frac{3}{8}$ "				
BK2110-	-10x13/8"				




# Cookie Pans, Seamless

		(4 Sides Up)	n n
No.	Size		PER Doz.
		<b>"</b>	
BK77-	-12x18x1''.		



## Cookie Pans, Seamless

	(One End Open)		_
No.	IZE	PER	Doz.
BK74T	11x14x <sup>3</sup> / <sub>4</sub> "		



## Biscuit Pans - Oblong

D	15Cui	t I alls — Oblong	
	Size		Doz.
		13/8"	
		<u>2</u> "	
BK245-	$-13x9\frac{1}{4}x$	2" deep	



## Corn Cake Pans-

	With Deep Cups	_	-
No.	SIZE CUPS	_	Doz.
BK206— 6 Cup	s 3x1½"		
BK208- 8 Cup	s 3x1½″		
BK212—12 Cup:	s 3x1¼″		

# U. S. Standard Liquid Measures

APPROVED FOR COMMERCIAL USE



## Full Lipped (Tin)

Boss Handle on 4-qt. size only. Made from Heavy Bright Tin Plate. thoroughly soldered—warranted not to leak. Seams

thoroughly soldere	d warranted not to realis
No. 11-1 Pint	Net per doz
No. 21-1 Quart	Net per doz
No. 22-2 Quart	Net per doz
No. 24-4 Quart	Net per doz.



Full Lipped (Galvanized)

Boss Handle on 4-qt. size only.

Made from heavy 27 Ga. Smooth Galvanized Sheet Iron. Seams double seamed and thoroughly soldered—will not leak.

solucion will not	ican.
No. G11—1 Pint	Net per doz
No. G21-1 Quart	Net per doz
No. G22-2 Quart	Net per doz
No. G24—4 Quart	Net per doz



#### Utility Funnel Measures (Tin)

Boss Handle on 4-qt. size only.

Made from Heavy Bright Tin Plate. Spout is lock-seamed to funnel-will not loosen or break off.

No. 00-1 Pint	Net per doz
No. 01—1 Quart	Net per doz
No. 02—2 Quart	Net per doz
No. 04-4 Quart	Net per doz



## **Utility Funnel Measures**

(Galvanized)

Like lipped measures listed above, but with Funnel attached. Spout is lock-seamed to funnel—will not loosen or come off. Boss handle on 4-qt. size only.

No. 001-1 Quart	Net per doz
No. 002-2 Quart	Net per doz.
No. 004—4 Quart	Net per doz

#### Flexible Spout Funnel Measures

Made from heavy 27 Ga. Smooth Galvanized Sheet Iron. Boss handle on 4-qt. size only.

Size	FLEX. SPOUT	NET PER DOZ.
No. 101—1 Qt. No. 102—2 Qt. No. 104—4 Qt.	8" long x 5/8" Dia	

No. 101 with detachable flexible spout.

No. 102 and No. 104 with flexible spout permanently attached.



# Heavy Galvanized Funnels

Fine mesh brass strainer soldered in spout. Heavy wire rolled in top.



#### Barrel Funnel

With Bottom Foot To Prevent Tipping

No. 59—8 Qt. Net per doz.....

101/4" dia. top; 41/4" top rim; 11/2" outlet; 12" high overall. Approx. shipping weight, doz. 35 lbs.

(½ dozen in case)



#### Offset Dash Funnel

No. 60-5 Qt. Net per doz.

81/2" dia. top; 23/4" top rim; 11/8" outlet; 141/4" high overall. Approx. shipping weight, doz. 25 lbs.

(1/2 dozen in case)



#### Standard Tin **Funnels**

(Close Nesting)

Made from Bright Tin Plate; for household use.

TRADE			NET
No. Size	DIA.	Pkg.	PER Doz.
10-1/4 Pt.	2 11/16"	l doz	
15-1/2 Pt.	35/8"	1 doz	
20 — 1 Pt.	43/8"	1 doz	
25— 1 Qt.	55/8"	1 doz	
30 - 2 Qt.	61/2"	1 doz	
35— 4 Qt.	73/8"	1 doz	
45— 6 Ot.	91/4"	1 doz	



#### Standard Pattern Funnel

(With Fine	Mesh Brass	s Strainer	solc	tered i	n spout.)
	Rim	Spt.		Case	NET
	Dia. Deep	Outlet			PER DOZ.
No. 51— 5	$\frac{1}{2}''$ $1\frac{1}{2}''$	1/2"	2/3	doz	
No. 52— 6	1/2" 13/4"	5/8"	1/9	doz	
No. 53— 6	33/8"	11/8"	1/2	doz	
No. 58—10	1/4" 71/2"	11/2"		doz	
OII	DITAINING O	CAME	10	ADO	WE.

#### OIL FUNNELS—SAME AS ABOVE

but without Strainer Screen

No. 551 2/3 doz... No. 552-½ doz..... ½ doz..... No. 553-No. 558-1/2 doz.....



Rigid Seamless Steel Spout  $15^{\prime\prime}$  x  $1\frac{1}{8}^{\prime\prime}$ . Top  $6\frac{1}{2}^{\prime\prime}$  Dia.; Height overall  $18^{\prime\prime}$ . Designed especially for filling Auto Tank where

filler pipe is accessible only through rear fender, or under trunk cover.

Hot-Dipped Galvanized after forming. Equipped with Fine Mesh Brass Strainer Screen. NET PER DOZ.

No. 61-AUTO-FILL Funnel.... (1/2 dozen in case) (Shipping Weight 12 lbs.) **Outboard Motor Equipment** 

#### Outboard Motor Funnel

Small all-metal funnel. Size 43/8' dia. 6¼" high x 5/8" spout outlet. Especially designed for filling Outboard and other small portable gasoline motors. Equipped with extra fine mesh brass carburetor screen soldered in spout.





No. 50

NET PER Doz.

No. 50-1½ Pt. 1 doz. in case....... (Shipping Wt. per doz. 4 lbs.)

## Minnow Bucket

Made from tight coated Smooth Gal-vanized Sheet Iron. Seams soldered. Perforated tin cover, hinged. Capacity approx. 14 Qts.

No. 16-9½ x 11½" Net each.....

## Outboard Motor Filler



Made from Galvanized Sheet Iron.

Seams soldered. Painted all Red.
Equipped with Detachable 34" O. D. x 8½" Flexible
Spout, with fine mesh Brass Strainer Screen disk in
spout cap. Large 2½" Hexagon Cap filler opening with air vent.

No. 025—2½ Gal.—½ Dozen Case....Per doz.
(Shipping Wt. per doz. 40 lbs.)
Low Pattern—wider than high—cannot be tipped

accidentally.

Regular 5-gal. size can, Bottom and Top. Body: 1134" diameter x 534" high. Height over breast and filler cap 8½".

#### Outboard Auxiliary Tank Funnel

LARGE CAPACITY SMALL FUNNEL.

Size: 53/4" Dia. x 11/8" Spt. x 8"

Large Spout quick emptying Designed especially for funnel. filling large capacity outboard auxiliary tanks.

Hot-Dip Galvanized. Equipped

with carburetor type extra fine mesh brass filter screen.

PER Doz.

No. 71—Outboard Funnel 2 doz. in case..... (Shipping Wt. per doz. 9 lbs.)

No. 71

NEW FUEL MIXING CAN for 2 Cycle Engines

## Fuel Mixer Can

Will mix gas and oil thoroughly by a few pumping strokes of handle at top. No need to shake contents. Made from Galvanized Sheet Iron. Seams thoroughly soldered. Painted Red. Will take full 5-gallons gasoline plus required lubricating oil. PER Doz.

Capacity
5½ gals., 2 in case............
(Shipping Wt. per doz. 84 lbs.)

## Graduated 1-Qt. Measure

(Not legal for use in trade) Graduated to 3/4 Pt.—1 Pt. 1½ Pts.

Intended for home use measure and dispense oil for outboard mix.

Made from Bright Tin Plate; Seams soldered leak proof.

PER Doz.

No. 31-H-Graduated 1-Qt. Liquid Measure.....



# **Cream Carrying Cans**







# Deep Inset Cover With Drop Handle

IXX FULL WT. CHARCOAL BRIGHT TIN SIDES, HEAVY IXXX BOTTOM

(TRADE)	NET PER DOZ.
No. D210-10 Qt.	Ship. wt. per doz., 51 lbs
No. D214—14 Qt.	Ship. wt. per doz., 61 lbs
No. D218—18 Qt.	Ship. wt. per doz., 69 lbs
No. D220—20 Qt.	Ship. wt. per doz., 78 lbs
	(Crated 1 doz.)

#### EXTRA HEAVY IXXXX FULL WT. CHARCOAL BRIGHT TIN

(TRADE)	NET PER DOZ.
	Ship. wt. per doz., 67 lbs
No. D420—20 Qt.	Ship. wt. per doz., 85 lbs
	(Crated 1 doz.)

## Galvanized Water Carrying Cans

Same style and construction as Cream Carrying Can but made from Galvanized Sheet Iron. Deep inset cover.

(Trade)	NET PER DOZ.
No. D14G—14 Qt.	Ship. wt. per doz., 50 lbs
No. D20G—20 Qt.	Ship. wt. per doz., 70 lbs
	(Crated 1 doz.)

# Reliable Cream Carrying Cans Deep Inset Cover With Drop Handle

IX FULL WT. BRIGHT TIN SIDES, HEAVY IXXX BOTTOM

11	LAVI IMM BUILDIN	
(Trade)		NET PER DOZ.
No. D1110—10 Qt.	Ship. wt. per doz., 51 lbs	
No. D1114—14 Ot.	Ship. wt. per doz., 55 lbs	
No. D1116—16 Qt.	Ship. wt. per doz., 60 lbs	
No. D1118—18 Ot.	Ship. wt. per doz., 65 lbs	
No. D1120—20 Qt.	Ship. wt. per doz., 70 lbs	
SPECIAL HEAV	Y FULL WT. IXXX BRIG	HT PLATE

# CREAM SETTING CANS WITH SHALLOW TIGHT FITTING PLUG COVER

This Inset Cover can be fitted to any series of cream cans listed. When ordering this cover add the suffix "½" to regular number. Example: 214½, 220½, etc.

CREAM SETTING CAN REPLACEMENT AND REPAIR	PARTS
Regular Outside Fitting Covers only	per doz.
"D" Deep Inset Covers only	per doz.
"1/2" Shallow Inset Covers only	per doz.
Bottoms only, with Turned Flange	per doz.



No. 2201/2

# **Cream Setting Cans**



Equipped With Heavy Tinned Wire Bail With Large Enameled Wood Handle

With Loose Fitting Outside Deep Rim Cover

## IXX FULL WT. CHARCOAL BRIGHT TIN SIDES, HEAVY IXXX BOTTOM

Ship. wt. per doz., 46 lbs.	Doz
Ship. wt. per doz., 56 lbs.	Doz
Ship. wt. per doz., 64 lbs.	Doz
Ship. wt. per doz., 73 lbs.	Doz
(Crated 1 doz.)	
	Ship. wt. per doz., 46 lbs. Ship. wt. per doz., 56 lbs. Ship. wt. per doz., 64 lbs. Ship. wt. per doz., 73 lbs. (Crated 1 doz.)

# EXTRA HEAVY IXXXX FULL WT. CHARCOAL BRIGHT TIN

	(Crated 1 doz.)	
No. 420—20 Qt., $9x19\frac{3}{8}$ "	Ship. wt. per doz., $80  \mathrm{lbs.}$	Doz
No. 414—14 Qt., $9x13\frac{3}{8}$ "	Ship. wt. per doz., 62 lbs.	Doz

## Stainless Steel Setting Cans

Made from 18-8 Type 302 Stainless Steel No. 2B finish (Cold Rolled Bright) 28-gauge. Equipped with loose outside fitting Aluminum Lid.

Trade	Each
No. SS14—14 Qt.	Stainless Steel
No. SS20—20 Qt.	Stainless Steel

## Reliable Cream Setting Cans

#### With Regular Outside Loose Fitting Cover

A popular priced reliable can, made of best quality bright tin plate tinned wire bail with enameled wood handle.

#### IX FULL WT. BRIGHT TIN SIDES, HEAVY IXXX BOTTOM

TRADE SIZE		1
<b>No. 1110</b> —10 Qt., 9x 9½"	Ship. wt. per doz., 46 lbs.	Per doz
No. 1114—14 Qt., 9x133/8"	Ship. wt. per doz., 51 lbs.	Per doz
No. 1116—16 Qt., 9x15½"	Ship. wt. per doz., 56 lbs.	Per doz
No. 1118—18 Qt., 9x17½"	Ship. wt. per doz., 60 lbs.	Per doz
No. 1120-20 Qt., 9x193/8"	Ship. wt. per doz., 65 lbs.	Per doz

#### SPECIAL HEAVY FULL WEIGHT IXXX BRIGHT PLATE

#### Trade



# High Grade Oil and Gasoline Cans

Made from Smooth Galvanized Sheet Iron. All seams double seamed and soldered. Warranted not to leak Spouts flanged on inside and thoroughly soldered—can't come off. 2 gallon and larger with  $2\frac{1}{2}$ " Hexagon Cap filler opening. Cork lined screw cap on spouts. Heavy riveted ears; enameled wood handle.

#### Oil Cans

		SPOUT	Green Stripe	Approx.	NET
No.	Size	CAP	PACKED	SHIPPING WT. PER DOZ.	PER Do
111—1 112—2 113—3 115—5	Gallon Gallon	1'' 1'' *D/P	1/2 Doz. in Cs. 1/2 Doz. in Cs. 1/2 Doz. in Cs. 1/2 Doz. in Cs. 1/3 Doz. in Cs.	20 lbs. 36 lbs. 40 lbs. 60 lbs.	

<sup>\*</sup>Double-pour, with large and small cap.

#### Gasoline Cans

Red

	Tallited All Red			
No.	Size	SPOUT CAP	PACKED	Approx. Shipping Wt. Per Doz.
222— 223—	-1 Gallon -2 Gallon -3 Gallon -5 Gallon	1'2'' 1'' 1'' 13'4''	1/2 Doz. in Cs. 1/2 Doz. in Cs. 1/2 Doz. in Cs. 1/3 Doz. in Cs. 1/3 Doz. in Cs.	20 lbs. 36 lbs. 40 lbs. 60 lbs.



No. 225

# Corrugated Extra Heavy Galvanized 5-Gallon Gasoline Storage and Transfer Cans



(TRACTOR BUCKETS)

NET PER DOZ.

Made from Extra Heavy Smooth Galvanized Sheet Iron. Body corrugated to add strength. Heavy raised concave bottom. Seams thoroughly soldered—warranted not to leak. Bottom edge supported and protected by heavy 1½" wide band iron. Painted all Red. Can be furnished painted All Green for oil if desired.




No. 705—5 Gallon Net each.....(Packed 2 in crate)

Large filler opening 51/4" diameter with slip-in Plug Cover; with large 23/4" diameter spout.

No. 605—5 Gallon Net each .....(Packed 4 in crate)

Large 51/4" Top opening for quick filling and emptying.



#### Barrel Filler Funnel

Heavy-Rust Resisting-Galvanized

Designed for filling barrels with head opening without raising or setting up barrel.

Top Diameter 111/2" Top Rim Height 6" High overall 131/2" Flexible Spout 11/4" I. D. x 12"

.....Net each



## Funnel Filler Can

Made from Smooth Galvanized Sheet Iron. Fine mesh Brass Strainer soldered in funnel spout

PAINTED ALL RED FOR GASOLINE

No. TRADE SHIP WT. Doz. NET PER Doz. 80 lbs.....

(Packed ¼ dozen in crate)

WATER CANS, PLAIN GALVANIZED RED STRIPED

NET No. TRADE SHIP. WT. Doz. PER Doz. 105—5 Gal. 80 lbs..... (Packed 1/4 dozen in crate)

## Tractor and Auto Filler Can



Handy Filler Can used extensively for filling Fuel Tank on oil burning heaters. Holds full 5-gallons.

Made from heavy Galvanized Sheet Iron. Seams thoroughly soldered. Large Pouring Spout with fine mesh Brass Strainer. Riveted Ears-Wood Handle Bail. NET

PER Doz. CAPACITY PACKED No. 625—5 Gallon 1/4 doz. in case.....

(Shipping Wt. per doz. 60 lbs.)

#### Radiator Filler Can



Large, wide carrying handle. Strong pistol grip back handle.

> NET PER DOZ.

No. 32-12-12 Qt. 1/3 doz. in case......

Size 9" dia. x 10 3/4" high (Shipping Wt. per doz. 52 lbs.)

# **Bulk Oil Plant Equipment**

#### 5 Gallon Measure Buckets

(STATE APPROVED)

Tank Wagon or Tank Truck Measure Buckets. Made from Heavy 22 Ga. Terne (Lead Coated) Steel Sheets. Raised Concave bottom. Bottom edge protected by 11/2" heavy band iron riveted to bottom. Calibrated to DE-LIVER 5-Gals. U. S. Liquid Measure. APPROVED for Commercial Use in Minnesota-will pass State requirements in other states.



No. 700



No. 711



No. 719



No. 800 WESTERN PATTERN



No. 811 PENNSYLVANIA PATTERN



No. 819 STANDARD PATTERN

Packed each in case—Plain non-painted.

Each No. 700-Western Pattern.. No. 800—Western Pattern..... No. 711—Pennsylvania Pattern

No. 811-Pennsylvania Pattern..... 

Any above buckets available painted all-red for Gasoline; or all Green for Oil at slight additional cost.

## 5-Gallon Extra Heavy Funnels

(FOR TANK WAGON OR TRUCK USE)

EQUIPPED WITH FIN TO PREVENT SWIRL WHILE EMPTYING. Fine mesh Brass Strainer Screen Soldered in Spout. Net Each

NO. 5000—Funnel.....

11½" diameter; 6" top rim; 15%" outlet; 17" high overall.

